

CURRICULUM VITAE

INFORMAZIONI PERSONALI

COGNOME	KLINGER
NOME	FRANCESCO MARIA
DATA DI NASCITA	08/01/1970

Indirizzo Milano, via B. Ramazzini 1
Telefono **+39335260966**
E-mail francesco.klinger@unimi.it

TITOLI DI STUDIO E ABILITAZIONI	<p>Laurea in Medicina e Chirurgia presso Università degli Studi di Milano a pieni voti con lode nel 1994</p> <p>Abilitazione all'esercizio della professione e iscrizione all'Albo dei Medici e Odontoiatri della provincia di Milano nel 1995</p> <p>Diploma di Scuola di Specializzazione in Otorinolaringoiatria presso Università degli Studi di Milano a pieni voti nel 1998</p> <p>Diploma di Scuola di Specializzazione in Microchirurgia e Chirurgia Sperimentale presso Università degli Studi di Milano a pieni voti nel 2001</p> <p>Diploma di Specializzazione in Chirurgia Plastica Ricostruttiva ed Estetica presso Università degli Studi di Siena a pieni voti nel 2011</p> <p>Diploma di Master di secondo livello in Chirurgia Estetica Morfodinamica presso Università degli Studi di Milano</p>
--	---

CARRIERA PROFESSIONALE	<p>1998-2004: Assistente presso Unità Operativa di Chirurgia Plastica presso Ospedale San Pio X, Milano</p> <p>2004-2010: Aiuto presso Unità Operativa di Chirurgia Plastica 2 presso IRCCS Istituto Clinico Humanitas, Rozzano</p> <p>2010-oggi: Responsabile presso Unità Operativa di Chirurgia Plastica presso Gruppo Multimedicale (Ospedale Sesto San Giovanni, Ospedale San Giuseppe, Ospedale Castellanza)</p> <p>1996-oggi: Docente del Master di Chirurgia Estetica e Morfodinamica "Luigi Donati" dell'Università degli Studi di Milano</p> <p>2013-oggi: Professore a Contratto per l'insegnamento "Chirurgia plastica e ricostruttiva" della Scuola di Specializzazione in Chirurgia Plastica Ricostruttiva ed Estetica dell'Università degli Studi di Milano</p> <p>2017: Visiting Professor, Universidad Internacional de Cataluna, Lettura "aplicaciones del lipofilling en cirugía plastica"</p> <p>2017: Visiting Professor - Technische Universität München, Lettura "conservative reconstructive surgery of the breast"</p>
-----------------------------------	---

	<p>2017: Visiting Professor, Universitatsspital Basel, Lettura "breast reconstruction"</p> <p>2017-oggi: Ricercatore a tempo determinato di tipo A per il settore concorsuale 06/E2 Chirurgia Plastica-Ricostruttiva, Chirurgia Pediatrica e Urologia, ssd MED/19 Chirurgia Plastica presso Il Dipartimento di Scienze Cliniche e di Comunità – Università degli Studi di Milano</p>
--	--

SOCIETÀ SCIENTIFICHE	Membro della Società Italiana di Chirurgia Plastica Ricostruttiva ed Estetica
-----------------------------	---

CONOSCENZE LINGUISTICHE	<p>Italiano (madrelingua)</p> <p>Inglese (conoscenza approfondita di lingua scritta e parlata)</p> <p>Francese (conoscenza approfondita di lingua scritta e parlata)</p>
--------------------------------	--

PUBBLICAZIONI	
<p>Stenotic Breast Malformation and Its Reconstructive Surgical Correction: A New Concept From Minor Deformity to Tuberous Breast. Klinger M, Klinger F, Giannasi S, Veronesi A, Bandi V, Banzatti B, Catania B, Vinci V, Lisa A, Cornegliani G, Giaccone M, Caviggioli F, Maione L. Aesthetic Plast Surg. 2017 Jun 7. doi: 10.1007/s00266-017-0903-2. [Epub ahead of print]</p>	
<p>Outcomes of Prosthetic Reconstruction of Irradiated and Nonirradiated Breasts with Fat Grafting. Caviggioli F, Klinger F, Lisa A, Rimondo A, Maione L, Klinger M, Vinci V. Plast Reconstr Surg. 2017 Sep;140(3):496e-497e. doi: 10.1097/PRS.0000000000003612. No abstract available.</p>	
<p>Therapeutic effect of hyaluronic acid in reducing nasal mucosa recovery time after septoplasty. Klinger F, Caviggioli F, Lisa AV, Maione L, Vinci V, Siliprandi M, Barbera F, Klinger M, Malvezzi L. Ear Nose Throat J. 2017 Apr-May;96(4-5):E16-E20.</p>	
<p>Effectiveness of autologous fat grafting in adherent scars: results obtained by a comprehensive scar evaluation protocol. Caviggioli F, Pajardi G, Rimondo A, Cornegliani G, Klinger M, Klinger F. Plast Reconstr Surg. 2017 Jan 13. doi: 10.1097/PRS.0000000000003317. [Epub ahead of print] No abstract available.</p>	
<p>External Volume Expansion in Irradiated Tissue: Effects on the Recipient Site. Caviggioli F, Lisa A, Klinger F, Pajardi G, Vinci V, Maione L, Rimondo A, Klinger M. Plast Reconstr Surg. 2017 Jan;139(1):313e-314e. doi: 10.1097/PRS.0000000000002871. No abstract</p>	

available.

Early experience with fat grafting as an adjunct for secondary burn reconstruction in the hand: Technique, hand function assessment and aesthetic outcomes.

Lisa A, Maione L, Vinci V, Rimondo A, Klinger F, Klinger M.

Burns. 2016 Nov;42(7):1617-1618. doi: 10.1016/j.burns.2016.04.021. No abstract available.

The Use of Autologous Fat Grafting for Treatment of Scar Tissue and Scar-Related Conditions: A Systematic Review.

Lisa A, Maione L, Vinci V, Rimondo A, Klinger F, Klinger M.

Plast Reconstr Surg. 2016 Dec;138(6):1076e-1077e. No abstract available.

Fat Grafting for Neuropathic Pain After Severe Burns.

Maione L, Lisa AV, Vinci V, Klinger F, Caviglioli F, Klinger ME.

Ann Plast Surg. 2016 Oct;77(4):491. doi: 10.1097/SAP.0000000000000876. No abstract available.

What Is the Optimum Timing of Postmastectomy Radiotherapy in Two-Stage Prosthetic Reconstruction: Radiation to the Tissue Expander or Permanent Implant?

Maione L, Murolo M, Lisa A, Caviglioli F, Klinger F, Klinger M.

Plast Reconstr Surg. 2016 Jul;138(1):150e-1e. doi: 10.1097/PRS.0000000000002276. No abstract available.

The Prevalence of Tuberos/Constricted Breast Deformity in Population and in Breast Augmentation and Reduction Mammoplasty Patients.

Klinger M, Caviglioli F, Giannasi S, Bandi V, Banzatti B, Veronesi A, Barbera F, Maione L, Catania B, Vinci V, Lisa A, Cornegliani G, Giaccone M, Siliprandi M, Klinger F.

Aesthetic Plast Surg. 2016 Aug;40(4):492-6. doi: 10.1007/s00266-016-0650-9.

Periareolar Approach in Oncoplastic Breast Conservative Surgery.

Klinger M, Giannasi S, Klinger F, Caviglioli F, Bandi V, Banzatti B, Forcellini D, Maione L, Catania B, Vinci V, Lisa A, Cornegliani G, Siliprandi M, Tinterri C.

Breast J. 2016 Jul;22(4):431-6. doi: 10.1111/tbj.12590.

Autologous Fat Grafting Reduces Pain in Irradiated Breast: A Review of Our Experience.

Caviglioli F, Maione L, Klinger F, Lisa A, Klinger M.

Stem Cells Int. 2016;2016:2527349. doi: 10.1155/2016/2527349.

Autologous Fat Grafting Improves Facial Nerve Function.

Klinger M, Lisa A, Caviglioli F, Maione L, Murolo M, Vinci V, Klinger FM.

Case Rep Surg. 2015;2015:520746. doi: 10.1155/2015/520746.

Comparison of Delayed and Immediate Tissue Expander Breast Reconstruction in the Setting of Postmastectomy Radiation Therapy.

Lisa A, Klinger F, Caviglioli F, Maione L, Murolo M, Klinger ME.

Ann Plast Surg. 2015 Aug;75(2):246. doi: 10.1097/SAP.0000000000000570. No abstract available.

Regenerative Approach to Scars, Ulcers and Related Problems with Fat Grafting.

Klinger M, Lisa A, Klinger F, Giannasi S, Veronesi A, Banzatti B, Bandi V, Catania B, Forcellini D, Maione L, Vinci V, Caviggioli F.

Clin Plast Surg. 2015 Jul;42(3):345-52, viii. doi: 10.1016/j.cps.2015.03.008. Review.

Alleviation of Neuropathic Scar Pain Using Autologous Fat Grafting.

Lisa A, Murolo M, Vinci V, Maione L, Klinger F, Klinger M.

Ann Plast Surg. 2016 Apr;76(4):474. doi: 10.1097/SAP.0000000000000547. No abstract available.

Autologous Fat Grafting in the Treatment of Painful Postsurgical Scar of the Oral Mucosa.

Lisa A, Summo V, Bandi V, Maione L, Murolo M, Klinger F, Klinger M.

Case Rep Med. 2015;2015:842854. doi: 10.1155/2015/842854.

Response to "autologous fat grafting: in search of the optimal technique".

Lisa A, Klinger F, Caviggioli F, Maione L, Murolo M, Klinger M.

Surg Innov. 2015 Jun;22(3):320-1. doi: 10.1177/1553350615579732. No abstract available.
25857806

Reply: The effects of postmastectomy adjuvant radiotherapy on immediate two-stage prosthetic breast reconstruction: a systematic review.

Maione L, Forcellini D, Vinci V, Lisa A, Caviggioli F, Klinger F.

Plast Reconstr Surg. 2015 Feb;135(2):446e. doi: 10.1097/PRS.0000000000000924. No abstract available.
25626831

Autologous fat grafting in the treatment of fibrotic perioral changes in patients with systemic sclerosis.

Del Papa N, Caviggioli F, Sambataro D, Zaccara E, Vinci V, Di Luca G, Parafioriti A, Armiraglio E, Maglione W, Polosa R, Klinger F, Klinger M.

Cell Transplant. 2015;24(1):63-72. doi: 10.3727/096368914X674062.

Outcomes of immediate tissue expander breast reconstruction followed by reconstruction of choice in the setting of postmastectomy radiation therapy.

Lisa A, Caviggioli F, Maione L, Forcellini D, Vinci V, Klinger F, Klinger ME.

Ann Plast Surg. 2015 Feb;74(2):270-1. doi: 10.1097/SAP.0000000000000324. No abstract available.

Fat grafting for thermal injury: current state and future directions.

Klinger M, Vinci V, Klinger F, Lisa A, Maione L.

J Burn Care Res. 2015 May-Jun;36(3):e228. doi: 10.1097/BCR.0000000000000121. No abstract available.

Comparison of cell number, viability, phenotypic profile, clonogenic, and proliferative potential of

adipose-derived stem cell populations between centrifuged and noncentrifuged fat.

Ibatici A, Caviggioli F, Valeriano V, Quirici N, Sessarego N, Lisa A, Klinger F, Forcellini D, Maione L, Klinger M.

Aesthetic Plast Surg. 2014 Oct;38(5):985-93. doi: 10.1007/s00266-014-0372-9.

Metabolic Implications of Surgical Fat Removal: Increase of Adiponectin Plasma Levels After Reduction Mammoplasty and Abdominoplasty.

Vinci V, Valaperta S, Klinger M, Montanelli A, Specchia C, Forcellini D, Maione L, Klinger FM, Caviggioli F.

Ann Plast Surg. 2016 Jun;76(6):700-4. doi: 10.1097/SAP.0000000000000240.

Autologous fat graft by needle: analysis of complications after 1000 patients.

Maione L, Vinci V, Klinger M, Klinger FM, Caviggioli F.

Ann Plast Surg. 2015 Mar;74(3):277-80. doi: 10.1097/SAP.0000000000000050.

Matching biological mesh and negative pressure wound therapy in reconstructing an open abdomen defect.

Caviggioli F, Klinger FM, Lisa A, Maione L, Forcellini D, Vinci V, Codolini L, Klinger M.

Case Rep Med. 2014;2014:235930. doi: 10.1155/2014/235930.

The effects of postmastectomy adjuvant radiotherapy on immediate two-stage prosthetic breast reconstruction: a systematic review.

Maione L, Forcellini D, Vinci V, Lisa A, Caviggioli F, Klinger F.

Plast Reconstr Surg. 2014 May;133(5):729e-730e. doi: 10.1097/PRS.0000000000000081. No abstract available.

Autologous fat graft in postmastectomy pain syndrome following breast conservative surgery and radiotherapy.

Maione L, Vinci V, Caviggioli F, Klinger F, Banzatti B, Catania B, Lisa A, Klinger M.

Aesthetic Plast Surg. 2014 Jun;38(3):528-32. doi: 10.1007/s00266-014-0311-9.

Autologous fat graft in scar treatment.

Klinger M, Caviggioli F, Klinger FM, Giannasi S, Bandi V, Banzatti B, Forcellini D, Maione L, Catania B, Vinci V.

J Craniofac Surg. 2013 Sep;24(5):1610-5. doi: 10.1097/SCS.0b013e3182a24548.

Fat grafting versus adipose-derived stem cell therapy: distinguishing indications, techniques, and outcomes.

Vinci V, Borbon G, Codolini L, Pajardi G, Klinger FM, Caviggioli F.

Aesthetic Plast Surg. 2013 Aug;37(4):856-7. doi: 10.1007/s00266-013-0127-z. No abstract available.

Treatment outcomes for keloid scar management in the pediatric burn population.

Vinci V, Klinger M, Klinger FM, Forcellini D, Borbon G, Caviggioli F.
Burns. 2013 Sep;39(6):1321-2. doi: 10.1016/j.burns.2013.01.024. No abstract available.

Treatment of chronic posttraumatic leg injury using autologous fat graft.

Caviggioli F, Klinger FM, Vinci V, Cornegliani G, Klinger M.
Case Rep Med. 2012;2012:648683. doi: 10.1155/2012/648683.

Upper lid blepharoplasty, eyebrow ptosis, and lateral hooding.

Bellinvia G, Klinger F, Maione L, Bellinvia P.
Aesthet Surg J. 2013 Jan;33(1):24-30. doi: 10.1177/1090820X12468751.

Lipomas in cameramen: An occupational disease?

Pagliari, A., Caviggioli, F., Forcellini, D., Maione, L., Lisa, A., Giaccone, M., & Klinger, F.
Chirurgia, 2013. 26(1), 13-15.

Hyaluronic acid: Our experience in postoperative treatment of septoplasty

Klinger, F., Caviggioli, F., Bandi, V., Vinci, V., Lisa, A., Cornegliani, G., & Klinger, M.
Chirurgia, 2012, 25(5), 345-347.

Triple-V flap: nipple reconstruction using a modified C-V flap technique for long-lasting improvement of projection

Francesco Klinger, Fabio Caviggioli, Valeriano Vinci, Davide Forcellini, Luca Maione, Andrea Lisa, Marco Klinger
European Journal of Plastic Surgery, November 2013, Volume 36, Issue 11, pp 689–692

Employment of needles: a different technique for fat placement.

Caviggioli F, Forcellini D, Vinci V, Cornegliani G, Klinger F, Klinger M.
Plast Reconstr Surg. 2012 Aug;130(2):373e-374e. No abstract available.

Our experience in correction of functional and cosmetic problems after facial traumatic injury: Viewpoint

Forcellini, D., Vinci, V., Maione, L., Lisa, A., Klinger, F.M.
Chirurgia, Volume 24, Issue 2, April 2011, Page 111

Tuberous breast: Morphological study and overview of a borderline entity.

Klinger M, Caviggioli F, Klinger F, Villani F, Arra E, Di Tommaso L.
Can J Plast Surg. 2011 Summer;19(2):42-4.

Parapharyngeal schwannoma treated by rhytidectomy approach

Ottaviani, F. Caviggioli, F. Villani, F. Klinger, F
Chirurgia, Volume 23, Issue 3, June 2010, Pages 75-79

Primary nasal tip surgery: a conservative approach.

Klinger M, Caviggioli F, Forcellini D, Bandi V, Maione L, Vinci V, Pagliari AV, Klinger F, Mazzola RF. *Aesthetic Plast Surg.* 2012 Jun;36(3):485-90. doi: 10.1007/s00266-011-9839-0. Erratum in: *Aesthetic Plast Surg.* 2013 Apr;37(2):491.

Basic science review on adipose tissue for clinicians.

Klinger FM, Vinci V, Forcellini D, Caviggioli F.

Plast Reconstr Surg. 2011 Sep;128(3):829-30. doi: 10.1097/PRS.0b013e31822216c8. No abstract available.

Autologous fat graft in postmastectomy pain syndrome.

Caviggioli F, Maione L, Forcellini D, Klinger F, Klinger M.

Plast Reconstr Surg. 2011 Aug;128(2):349-52. doi: 10.1097/PRS.0b013e31821e70e7.

Breast fistula repair after autologous fat graft: a case report.

Klinger FM, Caviggioli F, Forcellini D, Vinci V, Maione L, Pajardi G, Klinger M.

Case Rep Med. 2011;2011:547387. doi: 10.1155/2011/547387.

Phase 2 cross-over multicenter trial on the efficacy and safety of topical cyanoacrylates compared with topical silicone gel in the prevention of pathologic scars.

Scuderì N, Dessy LA, Buccheri EM, Marchetti F, Mazzocchi M, Chiummariello S, Klinger F, Onesti MG, Klinger M, Alfano C.

Aesthetic Plast Surg. 2011 Jun;35(3):373-81. doi: 10.1007/s00266-010-9621-8.

Fat Graft before breast reconstruction by latissimus dorsi.

Villani F, Caviggioli F, Klinger F, Maione L, Klinger M.

Plast Reconstr Surg. 2010 Oct;126(4):190e-192e. doi: 10.1097/PRS.0b013e3181ea927b. No abstract available.

Lower blepharoplasty with direct excision of skin excess: a five-year experience.

Bellinvia P, Klinger F, Bellinvia G.

Aesthet Surg J. 2010 Sep;30(5):665-70. doi: 10.1177/1090820X10381989.

Nipple resuscitation by lipostructure in burn sequelae and scar retraction.

Caviggioli F, Villani F, Forcellini D, Vinci V, Klinger F.

Plast Reconstr Surg. 2010 Apr;125(4):174e-176e. doi: 10.1097/PRS.0b013e3181d45dee. No abstract available.

Squamous cell deep carcinoma after abdominal dermolipectomy: a case report.

Klinger M, Caviggioli F, Klinger F, Villani F, Montorsi M.

Int Surg. 2009 Oct-Dec;94(4):289-91.

Topical silicone sheets in the prevention of hypertrophic scars after reductive mammoplasty

Klinger, F., Caviggioli, F., Villani, F., Forcellini, D., Catania, B. & Vinci, V.

Journal of Plastic Dermatology. May 2009, 5, 2, p. 151-155 5 p.

Current applications and safety of autologous fat grafts: a report of the ASPS Fat Graft Task Force.

Villani F, Cavaggioli F, Giannasi S, Klinger M, Klinger F.

Plast Reconstr Surg. 2010 Feb;125(2):758-9; author reply 759. doi: 10.1097/PRS.0b013e3181c722cf. No abstract available.

Reconstruction of a full-thickness alar wound using an auricular conchal composite graft.

Klinger M, Maione L, Villani F, Cavaggioli F, Forcellini D, Klinger F.

Can J Plast Surg. 2010 Winter;18(4):149-51.

Anatomical variations of the occipital nerves: implications for the treatment of chronic headaches.

Klinger M, Villani F, Klinger F, Gaetani P, Rodriguez y Baena R, Levi D.

Plast Reconstr Surg. 2009 Nov;124(5):1727-8; author reply 1728. doi: 10.1097/PRS.0b013e3181b98d6f. No abstract available.

Re: Rehabilitation of irradiated head and neck tissues by autologous fat transplantation.

Villani F, Cavaggioli F, Klinger F, Klinger M.

Plast Reconstr Surg. 2009 Dec;124(6):2190-1; author reply 2191. doi: 10.1097/PRS.0b013e3181bcf72a. No abstract available.

Use of a isotonic sea water solution containing chamomile in the post-operative management of septo-rhinoplasty

Klinger, M. Bandi, V., Maione, L., Cornegiani, G., Vinci, V., Klinger, F

Rivista Italiana di Chirurgia Plastica Volume 41, Issue 3-4, 2009, Pages 171-173

Gynecomastia and tuberous breast: assessment and surgical approach.

Klinger M, Cavaggioli F, Villani F, Forcellini D, Klinger F.

Aesthetic Plast Surg. 2009 Sep;33(5):786-7. doi: 10.1007/s00266-009-9378-0. No abstract available.

Inverted nipple: use of an effective and personalized splint after surgical correction with Pitanguy's technique to avoid relapse of the inversion in 28 cases.

Cavaggioli F, Ventura D, Andretto Amodeo C, Klinger F.

Plast Reconstr Surg. 2008 Mar;121(3):139e-140e. doi: 10.1097/01.prs.0000300197.51432.33. No abstract available.

Protective mask in quick rehabilitation after rhinoplasty on professional sportsmen: protective mask after rhinoplasty.

Klinger F, Cavaggioli F, Pagliari AV, Andretto Amodeo C, Duchini S, Klinger M.

Scand J Med Sci Sports. 2006 Apr;16(2):142-3.

Isolated congenital absence of the nasal bones and aesthetic surgical correction: managing and case report.

Klinger M, Cavaggioli F, Klinger F, Torsello F, Guidarelli P.

Aesthetic Plast Surg. 2005 Jul-Aug;29(4):246-9; discussion 250.

Data

21/2/2017

Luogo

MILANO